










Equipment Specification

Student Kitchen

Item #	Qty.	Description
1	7 ea	<p>2-COMPARTMENT PREP TABLE 2448 “Standard 36” Height” 2- compartment sink with. Sink bowls to be heavy gauge type 304 stainless steel deep drawn, seamless with all corners coved. Top - including backsplash with closed back and drainboards is heavy gauge 430 stainless steel. Drainboards to be "V" crease for positive draining. 9-1/2" high backsplash,. Legs to be 1-5/8" O.D stainless steel with adjustable bullet feet. Size: 24" deep x 48 long.</p>
	7 ea	<p>Complete with (1) splash mount faucet w/12" spout. Sink bowls to be 20" x 16" x 13.5" deep w/strainer, tail piece and twist lever waste.</p>
1B	1 ea	<p>2-COMPARTMENT PREP TABLE 2448 “ADA Compliant 34” Height” 2- compartment sink with. Sink bowls to be heavy gauge type 304 stainless steel deep drawn, seamless with all corners coved. Top - including backsplash with closed back and drainboards is heavy gauge 430 stainless steel. Drainboards to be "V" crease for positive draining. 9-1/2" high backsplash,. Legs to be 1-5/8" O.D stainless steel with adjustable bullet feet. Size: 24" deep x 48 long.</p>
	1 ea	<p>Complete with (1) splash mount faucet w/12" spout. Sink bowls to be 20" x 16" x 13.5" deep w/strainer, tail piece and twist lever waste.</p>
2	7 ea	<p>S.S. WORKTABLE “Standard 36” Height” Size: 24" long x 36" deep x 36" high, 16 gauge type 430 stainless steel top w/ stainless steel undershelf, s/s legs, and bullet feet. NSF Approved.</p>
2B	1 ea	<p>S.S. WORKTABLE “ADA Compliant 34” Height” Size: 24" wide x 36" long, 16 gauge type 430 stainless steel top w/ ADA compliant knee space, s/s legs, and bullet feet. NSF Approved.</p>
3	8 ea	<p>EXHAUST HOOD W/FIRE SYSTEM Exhaust hood - Wall canopy hood with front perforated supply plenum with built-in 3" standoff, 430 s/s were exposed, complete with (3) stainless steel filters 20" x 16", (2) canopy lights, exhaust riser, closure panels to ceiling with matching s/s. Closure panels dimensioned for 8' - 11" minimum finished ceiling height. The hood dimensions are 5' - 0" long x 54" deep. Total Exhaust CFM 1000. Total supply CFM 650. Electrical Package installed in utility cabinet at Factory. Fire Suppression System provided w/pre-pipe @ Factory w/Detection. Fans by mechanical contractor</p>
4	1 ea	<p>EXHAUST HOOD W/FIRE SYSTEM Exhaust hood - Wall canopy hood with front perforated supply plenum with built-in 3" standoff, 430 s/s were exposed, complete with stainless steel filters 20" x 16", (2) canopy lights, exhaust riser, closure panels to ceiling with matching s/s. The hood dimensions are 5' - 0" long X 54" deep Total exhaust CFM 1125. Total supply CFM 1012</p>

Item #	Qty.	Description
		Closure panels dimensioned for 8' - 11" minimum finished ceiling height. Electrical Package installed in utility cabinet at Factory. Fire Suppression System provided w/pre-pipe @ Factory w/Detection. Fans by mechanical contractor
5	7 ea	RANGE, 24", 4 OPEN BURNERS Standard Height Restaurant Range, gas, 24", (4) 35,000 BTU open burners, cast iron grates, manual control, standard oven, (2) racks, stainless steel front, sides, ledge & backguard with shelf, 6" chrome plated legs, 170,000 BTU, cETLus, ETL, CE
	7 ea	Standard warranty: 1 year parts and labor
	7 ea	Natural Gas (specify elevation if over 2,000 ft.)
	7 ea	With Gas Hose, Regulator and Casters
	7 ea	With Gas Shut-Off Valves
5B	1 ea	RANGE, 24", 4 OPEN BURNERS 34" ADA Compliant Burner height Restaurant Range, gas, 24", (4) 35,000 BTU open burners, cast iron grates, manual control, standard oven, (2) racks, stainless steel front, sides, ledge & backguard with shelf, 6" chrome plated legs, 170,000 BTU, cETLus, ETL, CE
	1 ea	Standard warranty: 1 year parts and labor
	1 ea	Natural Gas (specify elevation if over 2,000 ft.)
	1 ea	With Gas Hose, Regulator and Casters
	1 ea	With Gas Shut-Off Valves
6	4 ea	FOOD PROCESSOR Combination Food Processor, 2.5 qt., clear polycarbonate cutter bowl, see thru lid, stainless steel "S" blade, on/off push buttons, direct drive, fan-cooled, 1725 RPM, 3/4 HP, 120v/60/1-ph, 7.0 amps, NEMA 5- 15P , cETLus, ETL-Sanitation
	4 ea	1 year parts & labor warranty
7	2 ea	S.S. WORKTABLE Size: 24" wide x 36" long, 16 gauge type 430 stainless steel top w/ stainless steel undershelf, s/s legs, and bullet feet.
8	2 ea	MICROWAVE OVEN Microwave Oven, 1000 watts, 1.0 cu. ft. capacity, stainless steel door, timer panel & cavity, grey steel outer wrapper, durable side-hinged see-thru door, 6 minutes manual dial timer, timer heating-time guide, 11 power levels, timer resets to 0 when door is opened during cooking cycle, 120v/60/1-ph, 14 amp, NEMA 5-15P, NSF 4, UL Warranty- 1 year parts, labor & travel, 3 years on Magnetron, standard
		
9	3 ea	CHROME LOCKABLE STORAGE ANCHORED TO WALL Shelving with Security Enclosure, wire, 5 shelves, 1 enclosure, 18"W x 48"L x 74"H, chrome finish . With casters & Posts
		

Item #	Qty.	Description
10	2 ea	MICROWAVE SHLEF Size: 24" x 24", 16 gauge, type 430 stainless steel shelf with brackets
11	8 ea	COMMERCIAL WASTE CONTAINER Packed 6 ea ProSave® Brute® Container, without lid, 32 gallon, 22"D x 27-1/4"H, round, reinforced rims, built in handles, double rimmed base, high-impact plastic construction, gray, NSF
	8 ea	Brute® Container Lid, 22-1/4"D x 1-3/8"H, for 32 gallon trash can, heavy duty plastic, gray
	8 ea	Brute® Dolly, 18-1/4"D x 6-5/8"H, heavy duty 3" casters, black
12	5 ea	HAND SINK W/ EYE WASH AND SOAP & TOWEL DISPENSER Space Saver Hand Sink, wall mount, 9" wide x 9" front-to-back bowl, side splashes on left & right, 4" O.C. deck mount faucet holes with BKD-3G-G faucet, 1-7/8" drain opening, basket drain & mounting bracket included, NSF
	5 ea	With faucet, eyewash, Strainer and Tail Piece
13	2 ea	COUNTERTOP GRIDDLE Heavy Duty Griddle, gas, countertop, 36", (3) stainless steel burners, standby pilots, independent manual controls, stainless steel structure, adjustable stainless steel legs, 90,000 BTU, cETLus, ETL
	2 ea	1 year warranty
	2 ea	Natural gas
	2 ea	Equipment Stand, 37"W x 30"D x 26"H, 18/430 stainless steel top reinforced with 1-1/2" square tubing, with 2" 90° turn-up on sides & back, stainless steel adjustable undershelf & legs, adjustable bullet feet, NSF
14	1 ea	ICE CUBER WITH BIN Undercounter Ice Kube Machine with Bin, cube style, air-cooled, self-contained condenser, up to 148-lb production/24 hrs, 80 lbs. bin capacity, removable & re-useable air filter, hideaway bin door, NSF, cULus, CE
	1 ea	3 year parts & labor warranty
	1 ea	5 year parts warranty on evaporator
	1 ea	5 year parts ice machine compressor warranty
	1 ea	(-161) 115v/60/1-ph, standard
	1 ea	With Water Filter

